
FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6

Simply Compose		X
Figure edic 30004		
- Recipient information		Antonia de la companya del companya de la companya del companya de la companya de
The state of the s	Company:	
Fax United States of America (1)	(408)	
Tillings of the state of the st		
THE PROPERTY OF THE PROPERTY O		
Recipient list		
Recipient name Number	Company	Hemove
	000-0000 304-0000 304-0000 204-0000 204-0000	Average and the second
	arty se	
The state of the s		
Epok	: Next > Cancel	Help
Marie Con Bridge Contract Cont	<u>. 4</u>	

FIG. 7

FIG. 8






FIG. 9




FIG. 10

Simply Properties	againes - Audiginates - Andriannes - Andriannes - Andriannes - Andriannes - Andriannes - Andriannes - Communic
Mailboxes Message Options Services	
Communication services	
Local device(s) FAXserve for Windows	Properties.
	S Days S
	Add/Remove.
	\$
	\$\$\$\$\$\$\$\$
	\$\$\$\$\$\$\$\$\$
Cancilla Can	el Help

FIG. 11

Simply BitWare	SE GARGET COMMON NOTICE AND
rogram <u>V</u> iew <u>T</u> ools <u>H</u> elp	
100000000	算書: Fax 888 Voice 888 ≥ 2
Connection	Status Status
😂 Local device(s)	
Hayes Accura 336 Fax + Voice	Idle : Enabled
Hayes Accura 336 Fax + Voice #2	Idle : Enabled
FAXserve for Windows	
Classic Classic	Connected
Connection status	
	<i>``````</i> ``````````````````````````````
Name:	
Phone:	
Status:	

FIG. 12




FIG. 13




FIG. 14




FIG. 15

FAXServe Netware Service	
General GroupWise	
Server FSNW500NH10	
<u>Liser</u> ADMIN	\$\$\$\$\$\$\$ \$
✓ Enable Dutbound Fax	
▼ Enable Incoming Fax	
<u>R</u> oute to Client Mailbox.	المرازع والمرازع والمرازع
sinping	
	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	OK Cancel

FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

Simply Properties	And Carpensal Later		
Dievice General Transmission	Greetings Prompt		
General properties for this	Simply Talk devic	e	
<u>D</u> evice(s);			
SupraSonic 336V+ Plug & Play			
- Inbound call Answer mode	Ži <u>V</u> oice. V Fax		
Cutbound call -			
	Voice ▼ Fag	V Pager	
Fax settings Modem class			
	- Jok	. Z-Ca	ncel

FIG. 21




FIG. 22

Simply Properties			
Device General	Transmission Greetings Prompts		
Transmis	sion eptions for Simply Talk		
Retry options			
Eletry 2	time(s) after first fransmission		
Delay 5	minute(s) before starting next		Marie Inc. Complete Marie
Uutbourd voice	A STATE OF THE STA		
Play greeting 2			
V lepeat gree	ting until message plays	tion stone	
Play message ∫10	secs after connection:		
i Automatically Frieter:	print tansmitted faxes	Brov	4
		- 100 - 100	
	i jek	Ca	ancel

FIG. 23




FIG. 24

Simply Proper	ties			
Device Ger	ieral Transmissi	on Greetings	Prompts	
				Transfer in
(9) Me	essage prompts			
Prempt No.	Description		Ā	
0001	<pause> zero</pause>			
0003	one			
0004 0005	ten eleven			<u>B</u> rowse
0006	twelve		الاعراب	90 - 100 - 1
Play messa	me ryompi	7.7		<u>U</u> pdate
	A Hemby			
528				
Position 0.0 sec			4 5	Length 1.0 sec
Prompt Mess	age description			
(pause)		Page And Control		
			ok I	Cancel
	インスメリン	7773	<u> </u>	Called

FIG. 25